

Builds Chemical Comfort



SPORT FLOORING

SYSTEMS

Yüksek Performanslı

www.foxbau.com



Purathane Sport Flooring

Purathane sport flooring provides performance upgrade for the sportsman, in addition to its elasticity, shock absorbent, excellent erosion resistance, it guarantees the optimum balance between friction and slickness. With these properties, purathane sport flooring answers any demands of professional sportsmen till the needs of the little children.

Purathane sport flooring is a multipurpose system. In addition to its use in professional sports, it has a wide spread of use in civil sports activities like; fun sports, exhibitions, exams and seminars.



Broad first class elastic polyurethane flooring



Fits for all sport activities with the inclusion of volleyball, tennis and basketball



Highly resistant to scratches and erosion



Easy maintenance and cleaning




Long service life




UV resistant





- 1- Concrete
- 2- Purathane SF Adhesive
- 3- Rubber Layer
- 4- Purathane SF Poresealer
- 5- Purathane SF Basecoat
- 6- Purathane SF Basecoat
- 7- Purathane SF Topcoat





PURATHANE SPORT FLOORING PRODUCTS

Purathane SF Adhesive

Polyurethane based, two-component, specially designed for sports flooring, solvent-less, rubber/EPDM sheet adhesive

Purathane SF Poresealer

Polyurethane based, two-component, specially designed for sports flooring, free-solvent, used in the filling of EPDM AND SBR rubber sheets, filling paste

Purathane SF Basecoat

Polyurethane based, two component, specially designed for sports flooring, free-solvent, self-levelling, elastic, colored basecoat

Purathane SF Topcoat

Polyurethane based, two component, aliphatic, specially designed for sports flooring, UV resistant, matte, elastic, colored topcoat






Colors

Purathane SF Basecoat - Purathane SF Topcoat



Black RAL 9005



White RAL 9016



Light Grey RAL 7035



Grey RAL 7040



Fume RAL 7039



Dark Grey RAL 7030



Cream RAL 9001



Beige RAL 1013



Corn Yellow RAL 1006



Yellow RAL 1018



Paleorange RAL 1028



Orange RAL 2008



Dark Brown RAL 8025



Light Brown RAL 1019



Blue RAL 5027



Light Blue 5012



Paste Blue RAL 5024




Turquoise RAL 6027



Green RAL 6032



Red RAL 3028



THICKNESS	
Polyurethane	2-3 mm
Rubber	4-10mm

YAPI KİMYASALLARI Construction | Chemicals

 Customer Support Service
+90532 1111 fox
3 6 9

Builds Chemical Comfort

Center / Factory

Antalya Organized Industrial Zone 1 St. Division
7th avenue No:6 Döşemealtı / ANTALYA / TURKEY
Tel.: +90 (242) 221 42 50 • Fax : +90 (242) 221 42 55

www.foxbau.com